

## TWILIGHT 150 SPOT

# 150W LED SPOT MOVING HEAD

This LED spot moving-head of TWILIGHT Series combines the benefits of LED technology (energy saving, low heat emission, increased reliability and durability over time) with the quality of digital control systems and the accuracy of its optics. The TWILIGHT 150 SPOT is, therefore, a tool suitable for professionals of entertainment, both in touring and fixed installations. The optical system is able to emit a beam of 50.000 Lux @ 1m with 15° angle. The focus is motorized; dimmer is linear with a 0-20Hz frequency for strobe effects. The TWILIGHT 150 SPOT offers a 8 + white color wheel with rainbow effect, a first gobo wheel with 7 rotating gobos (4 metal + 2 glass + 1 water ripple gobo) and a second wheel with 9 fixed gobos + open. Both gobo wheels have rainbow and shake effects. Finally, a 3-facet and a linear prisms (both with controllable rotation and direction) and frost, allow creating rich and varied light effects. The chassis is largely made up of aluminum and allows to reduce the final weight in just 9.2kg. The fixture is available both in single carton and in two-unit professional flight case.



## PRODUCT DETAILS

### KEY FEATURES

LED: Ultra-bright 150W LED

Lux: 50.000 @ 1m

Beam angle: 15°

Motorized Focus

1 Color wheel and 2 Gobo wheels

Prism: 1 circular, 1 linear + Frost and overlapping feature

Stand-alone, DMX, Master/Slave modes

13CH / 16CH DMX modes

Lightweight yet tough housing

## SPECIFICATIONS

<b>Light emitting source</b>	1pc Ultra-bright 150W LED
<b>Beam intensity</b>	50.000 Lux @ 1m
<b>Beam angle</b>	15°
<b>Focus</b>	Variable motorized focus
<b>Color wheel</b>	8 colors + white, split colors, rainbow effect
<b>Rotating Gobo wheel</b>	2 glass gobos + 4 metal gobos + 1 Water Ripple Gobo + Open, gobo flow effect, gobo shake
<b>Static gobo wheel</b>	9 static gobos + open, gobo flow and shake effects
<b>Effect Wheel</b>	3-facet circular prism, 6 facet linear prism and frost, adjustable rotating speed and direction
<b>Dimmer/Strobe</b>	Dimmer variable electronic dimmer (0-100%), 0-20Hz
<b>PAN/TILT</b>	Pan
<b>Working modes</b>	Stand-alone mode, DMX mode, Master/Slave synchronization mode
<b>DMX Control</b>	13CH / 16CH modes
<b>Housing</b>	High temperature resistant engineering plastic + aluminum alloy
<b>Voltage</b>	100-240V,50-60Hz - Fuse T5A-250V, 5x20mm
<b>Power consumption</b>	230W
<b>Fixture Size (LxHxD)</b>	328 x 352min/400max x 216 mm
<b>Fixture Weight</b>	9.2kg
<b>Carton Size (LxHxD)</b>	350 x 415 x 350mm
<b>Carton Weight</b>	11.2kg