

HYPER PLAY 6AMW

6.5" PORTABLE PA SYSTEM WITH UHF WIRELESS MIC, MP3/BLUETOOTH, AND RECHARGEABLE BATTERY

HYPER PLAY 6AMW is a new battery-powered portable loudspeaker with 6,5" woofer. It features a 4-channel mixer, MP3 player, USB, SD-card, and Bluetooth™ connection and professional a UHF wireless microphones with handheld transmitter. HYPER PLAY 6AMW is AC or battery operated with about 5 hours battery life. The Built-in Class-D amplifiers delivers 150W Program Power. The stylish polypropylene enclosure is strong and lightweight, with metallic grille, and 36mm standard pole mount hole. Included in the package there is a padded cover with side pockets to hold microphone and mains adapter.











PRODUCT DETAILS

KEY FEATURES

Portable 2-Way Active Speaker with Rechargeable Battery

Sturdy polypropylene enclosure compact and lightweight

300W Peak Power Class-D power amplifier (Peak Power, AC powered)

6,5" woofer with 1" compression driver

MP3 player with USB, SD Card and Bluetooth™

UHF Handheld Wireless Microphone

2 Microphone/Line inputs

1 Stereo Input (Mini Jack /RCA)

2-Band EQ

Lead Rechargeable Battery with 5-hour battery life

36 mm standard pole mount

Handle on top

Padded Cover with side-pockets





SPECIFICATIONS

| Frequency response | 80Hz-20KHz |
|--------------------------------|--|
| Max. SPL | 110 dB (values referred to mains power) |
| LF | 6,5" / HF |
| Directivity (HxV) | 90° x 60°, Symmetric |
| Crossover Frequency | 5.1 kHz |
| Amp Power (Program/Peak) | 150W / 300W, Class-D (values referred to mains power) |
| Controls | 2xMic/Line level, UHF Mic Level, AUX/Bluetooth/MP3 level, AUX-MP3 Switch, Master level |
| 2-Band EQ (BASS/TREBLE) | Bass 100Hz (+/- 12dB); Treble 10kHz (+/- 12dB) |
| Connections | 2xMic/Line Combo, AUX Stereo Mini Jack, Line In L&R RCA Jack |
| Indicators | Power, Clip, Wireless Mic On, RF Mic, Battery Charge |
| Media player | USB, SD-Card, Bluetooth™, LCD Display |
| Media player controls | Stop, Play/Pause, Next track, Previous track, Mode |
| Power Mains | 19V - 3,42A |
| Rechargeable Battery | 12V-2600 mAH Lead Battery (TP12-2.6 type) |
| Battery Size (WxHxD) | 70mm x 47mm x 100mm |
| Battery Charge/Discharge Cycle | 2hours / 5hours |
| Wireless Microphone Frequency | Carrier Freq. UHF 863-865MHz; Operating Freq. 863.1MHz. |
| Frequency Response | 50Hz – 17kHz |
| Transmitter Power | 10mW |
| Modulation Type | FM |
| Battery Voltage | 3V (2x1.5V AA-Type Batteries) - Continuous use about 7 hours |
| Hand-held Mic. Size (W/DxH) | Ø35 (min) - Ø52 (max) x 245 mm |
| Wireless Mic. Weight | 0.245 kg (batteries included) |
| Housing / Grille material | Polypropylene / 0-8mm Steel |





| | 1 Handle on top + Padded Cover with side pockets |
|---------------------------|--|
| Pole Mount | Standard D36 mm |
| Speaker Dimension (WxHxD) | 220 x 320 x 200 mm |
| Packing Dimension (WxHxD) | 420 x 633 x 340 mm |
| Net Weight | 4.4 kg (Battery included) |
| Gross Weight | 6 kg |

