

# CLARITY A4BT PAIR OF 4" 200W STUDIO MULTIMEDIA MONITORS

**CLARITY A4BT** is a pair of compact monitors that add to the well-established *CLARITY line* by SOUNDSATION.

Designed for live streaming, content creation, music production, they are also an optimal solution for home and studio recording.

CLARITY A4BT monitors are easy to set up and offer quality sound, with smooth and accurate frequency response and power up to 200W.



The connections on the rear panel of the main monitor offer 1/4" TS, RCA, OPTICAL inputs, allowing compatibility with countless devices.

A 1/8" AUX IN input and the headphone connection are positioned on the front.

The BASS and TREBLE controls let you customize the sound of the CLARITY A4BT to create just the right sound for any room.

CLARITY A4BT are equipped with the BT Audio Streaming function which allows you to switch wirelessly, transmitting audio from a smartphone, tablet, laptop or other source equipped with this function.

The MDF cabinet features a sleek, modern design with a satin black finish to make these monitors stylish and suitable for many environments.



## PRODUCT DETAILS

### KEY FEATURES

Two portable studio monitors with a 4" woofer with efficient paper cone and rubber surround and 1" Silk dome tweeter

50 Watt RMS / 200 Watt peak total speaker power

1/2" MDF enclosure with rear firing port for enhanced low frequencies

DSP tuned with a flat and balanced frequency response

Built-in BT Audio Streaming playback (version 5.0) with 35 foot range

Optical input to connect to your TV or other digital source

Left and Right 1/4" TS input for any pro audio sources (Mixer,Audio Interface,etc)

RCA and 1/8" AUX IN Inputs

3.5mm Headphone output

Full-range Class D Amplifier Circuitry

LED power indicator and knob for input mode selection / volume adjustment

Frequency response from 50Hz to 20kHz at -3dB

Rugged MDF cabinet with a Satin Black finish

## SPECIFICATIONS

<b>Speakers Type</b>	Two ways
<b>AC Power Input</b>	110V / 240V auto-switching
<b>Frequency response (-3dB)</b>	50Hz-20kHz
<b>Woofers</b>	4" Paper Cone
<b>Tweeter</b>	1,0" Silk Dome
<b>Total Output Power</b>	50 Watt RMS / 200 Watt peak
<b>Max. SPL</b>	100dB
<b>Directivity H x V (Sound Coverage Angle)</b>	110° x 45°
<b>High Frequency Adjustment</b>	-10db to +5db above 6.3KHz
<b>Low Frequency Adjustment</b>	-10db to +5db below 100Hz
<b>Audio Input Connections</b>	1/4" TS (L,R), RCA (L,R), OPTICAL, 1/8" AUX IN
<b>Headphones Output</b>	1/8" (3.5mm)
<b>Amplifier</b>	Full-range Class D
<b>Input Impedance</b>	10K Ohm Balanced
<b>BT Audio Streaming</b>	Yes ( version 5.0) with 35 foot range
<b>Cabinet Material and finish</b>	MDF - Satin Black
<b>Dimensions of each speaker (WxDxH)</b>	263 x 150 x 225 mm
<b>Speaker Weight (pair)</b>	5 Kg
<b>Packing size</b>	(WxDxH)
<b>Packing Weight</b>	5,8 Kg